

Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

September 7, 2007

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: U.S. Patent for *Filtered Cigarette Incorporating an Adsorbent Material*
Appl. No. 11/758,165; Filed June 5, 2007
Patent No. 7,240,678 B2; Issued July 10, 2007
Our File 030627/329069

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,

/christopher m. humphrey/

Christopher M. Humphrey
Registration No. 43,683

Enclosures

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,240,678 B2

Page 1 of 1

APPLICATION NO. : 10/675,241

ISSUE DATE : July 10, 2007

INVENTOR(S) : Crooks et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 21:

Line 25: "of fibrous" should read --of smoke-permeable fibrous--

Line 36: "wherein at least one channel extends through" should read
--wherein a plurality of longitudinally extending channels extend through--

Line 37: "material, said at least one channel being" should read
--material, each of said channels being--

Line 39: "a cross-sectional" should read --a total cross-sectional--

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000